


**gamamobel®**

---








Tejidos\_Fabrics\_Tissus













Ficha técnica \_ product specifications

Material _ composition	100% Polyester
Ancho _ width	140 cm _ 54 in
Resistencia a la abrasión _ abrasion resistance	30.000 (Martindale)
Solidez del color _ color fastness to light	5
Resistencia al pilling _ pilling resistance	5
Limpieza _ cleaning	<div></div> <div></div>





Ficha técnica \_ product specifications







Material _ composition	100% Polyester
Ancho _ width	140 cm _ 54 in
Resistencia a la abrasión _ abrasion resistance	25.000 (Martindale)
Solidez del color _ color fastness to light	4 - 5
Resistencia al pilling _ pilling resistance	4 - 5
Limpieza _ cleaning	<div></div> <div></div>







Ficha técnica \_ product specifications






Material _ composition	100% Polyester
Ancho _ width	140 cm _ 54 in
Resistencia a la abrasión _ abrasion resistance	25.000 (Martindale)
Solidez del color _ color fastness to light	4
Resistencia al pilling _ pilling resistance	4 - 5
Limpieza _ cleaning	<div></div> <div></div>














Ficha técnica \_ product specifications

Material _ composition	100% Polyester
Ancho _ width	140 cm _ 54 in
Resistencia a la abrasión _ abrasion resistance	100.000 (Martindale)
Solidez del color _ color fastness to light	5 - 6
Resistencia al pilling _ pilling resistance	4 - 5
Limpieza _ cleaning	    












Ficha técnica \_ product specifications

Material _ composition	92% Polyester - 8% Nylon
Ancho _ width	140 cm _ 54 in
Resistencia a la abrasión _ abrasion resistance	40.000 (Martindale)
Solidez del color _ color fastness to light	5
Resistencia al pilling _ pilling resistance	5
Limpieza _ cleaning	<div></div> <div></div>





Ficha técnica \_ product specifications

Material _ composition	59% Polyester - 41% Acetate
Ancho _ width	140 cm _ 54 in
Resistencia a la abrasión _ abrasion resistance	35.000 (Martindale)
Solidez del color _ color fastness to light	5
Resistencia al pilling _ pilling resistance	4
Limpieza _ cleaning	<div></div> <div><p>Ignífugo _ fireproof Flame resistance BS 5852 cigarette test - <b>PASS</b> Flame resistance EN 1021-1 Cigarette test - <b>PASS</b></p><div><p>Transpirable _ breathable</p></div></div>





Beige

Camel

Taupe

Brown

Ash

Elephant

Black


Grey



Ficha técnica \_ product specifications

Material _ composition	100% Polyester
Ancho _ width	140 cm _ 54 in
Resistencia a la abrasión _ abrasion resistance	90.000 (Martindale)
Solidez del color _ color fastness to light	4 - 5
Resistencia al pilling _ pilling resistance	4 - 5

Limpieza \_ cleaning









Ignífugo \_ fireproof  
Flame resistance BS 5852 Cigarrete test - **PASS**  
Flame resistance EN 1021-1 Cigarrete test - **PASS**








Ficha técnica \_ product specifications

Material _ composition	100% Polyester
Ancho _ width	140 cm _ 54 in
Resistencia a la abrasión _ abrasion resistance	40.000 (Martindale)
Solidez del color _ color fastness to light	3 - 4
Resistencia al pilling _ pilling resistance	3 - 4
Limpieza _ cleaning	<div></div> <div> Antimanchas _ antispots</div>





Ficha técnica \_ product specifications

Material _ composition	86% PES - 14% CO
Ancho _ width	140 cm _ 54 in
Resistencia a la abrasión _ abrasion resistance	20.000 (Martindale)
Resistencia al pilling _ pilling resistance	5
Limpieza _ cleaning	


Instrucciones de lavado \_ washing instructions

- Se puede lavar a máquina, ciclo delicado (máximo 30°C) \_ machine wash, delicate cycle (maximum 30°C).
- No centrifugar \_ do not spin dry.
- No usar lejía \_ no bleach.
- No secar en tambor \_ do not dry in tumbler.
- No secar al sol \_ do not dry in sunlight.
- No estrujar ni retorcer \_ do not squeeze or wring.
- No planchar \_ do not iron.
- Puede lavarse en seco \_ can be dry cleaned.







Ficha técnica \_ product specifications

Material _ composition	100% PP
Ancho _ width	138 cm _ 53 in
Resistencia a la abrasión _ abrasion resistance	22.000 (Martindale)
Solidez del color _ color fastness to light	5
Resistencia al pilling _ pilling resistance	4 - 5
Limpieza _ cleaning	






Ficha técnica \_ product specifications

Material _ composition	100% PES
Ancho _ width	145 cm _ 57 in
Resistencia a la abrasión _ abrasion resistance	100.000 (Martindale)
Solidez del color _ color fastness to light	4 - 5
Resistencia al pilling _ pilling resistance	4 - 5
Limpieza _ cleaning	<div></div> <div> Repelente al agua _ water repellent</div>






Ficha técnica \_ product specifications

Material _ composition	83% PES - 17% CO
Ancho _ width	140 cm _ 54 in
Resistencia a la abrasión _ abrasion resistance	25.000 (Martindale)
Resistencia al pilling _ pilling resistance	5
Limpieza _ cleaning	

Instrucciones de lavado \_ washing instructions


- Se puede lavar a máquina, ciclo delicado (máximo 30°C) \_ machine wash, delicate cycle (maximum 30°C).
- No centrifugar \_ do not spin dry.
- No usar lejía \_ no bleach.
- No secar en tambor \_ do not dry in tumbler.
- No secar al sol \_ do not dry in sunlight.
- No estrujar ni retorcer \_ do not squeeze or wring.
- No planchar \_ do not iron.
- Puede lavarse en seco \_ can be dry cleaned.














Ficha técnica \_ product specifications

Material _ composition	76% PES - 24% PAC
Ancho _ width	138 cm _ 53 in
Resistencia a la abrasión _ abrasion resistance	35.000 (Martindale)
Solidez del color _ color fastness to light	5
Resistencia al pilling _ pilling resistance	4
Limpieza _ cleaning	





Ficha técnica \_ product specifications

Material _ composition	59% PES - 41% CO
Ancho _ width	140 cm _ 54 in
Resistencia a la abrasión _ abrasion resistance	30.000 (Martindale)
Resistencia al pilling _ pilling resistance	5
Limpieza _ cleaning	      



Repelente al agua \_ water repellent



Antimanchas \_ antispots
















Ficha técnica \_ product specifications

Material _ material	100% PES
Ancho _ width	138 cm _ 53 in
Resistencia a la abrasión _ abrasion resistance	100.000 (Martindale)
Solidez del color _ color fastness to light	5
Resistencia al pilling _ pilling resistance	5
Limpieza _ cleaning	    
















Ficha técnica \_ product specifications

Material _ composition	50% PES - 46% PAC - 4% CO
Ancho _ width	140 cm _ 54 in
Resistencia a la abrasión _ abrasion resistance	30.000 (Martindale)
Resistencia al pilling _ pilling resistance	4 - 5
Limpieza _ cleaning	    










Ficha técnica \_ product specifications

Material _ composition	50% PES - 42% CO - 8% RAY
Ancho _ width	140 cm _ 54 in
Resistencia a la abrasión _ abrasion resistance	25.000 (Martindale)
Resistencia al pilling _ pilling resistance	5
Limpieza _ cleaning	<div><div></div><div><p>Repelente al agua _ water repellent</p><p>Antimanchas _ antispots</p></div></div>
















Material _ composition	50% PES - 41% PAC - 9% CO
Ancho _ width	140 cm _ 54 in
Resistencia a la abrasión _ abrasion resistance	30.000 (Martindale)
Resistencia al pilling _ pilling resistance	4 - 5
Limpieza _ cleaning	    






Ficha técnica \_ product specifications

Material _ composition	64% PES - 36% CO
Ancho _ width	140 cm _ 54 in
Resistencia a la abrasión _ abrasion resistance	80.000 (Martindale)
Resistencia al pilling _ pilling resistance	5
Limpieza _ cleaning	<div></div> <div><p>Repelente al agua _ water repellent</p><p>Antimanchas _ antispots</p></div>





Ficha técnica \_ product specifications





Material _ composition	55% PP - 45% PES - 5% CO
Ancho _ width	140 cm _ 54 in
Resistencia a la abrasión _ abrasion resistance	30.000 (Martindale)
Solidez del color _ color fastness to light	5 - 6
Resistencia al pilling _ pilling resistance	4 - 5
Limpieza _ cleaning	







Ficha técnica \_ product specifications





Material _ composition	85% PES - 15% CO
Ancho _ width	140 cm _ 54 in
Resistencia a la abrasión _ abrasion resistance	30.000 (Martindale)
Solidez del color _ color fastness to light	5 - 6
Resistencia al pilling _ pilling resistance	4 - 5
Limpieza _ cleaning	   











Ficha técnica \_ product specifications

Material _ composition	49% PP - 47% PES - 4% CO
Ancho _ width	140 cm _ 54 in
Resistencia a la abrasión _ abrasion resistance	60.000 (Martindale)
Solidez del color _ color fastness to light	5 - 6
Resistencia al pilling _ pilling resistance	4 - 5
Limpieza _ cleaning	   





Ficha técnica \_ product specifications

Material _ composition	60% PP - 35% PES - 5% CO
Ancho _ width	140 cm _ 54 in
Resistencia a la abrasión _ abrasion resistance	46.000 (Martindale)
Solidez del color _ color fastness to light	5 - 6
Resistencia al pilling _ pilling resistance	5
Limpieza _ cleaning	   







Ficha técnica \_ product specifications

Material _ composition	76% PP - 24% PES
Ancho _ width	140 cm _ 54 in
Resistencia a la abrasión _ abrasion resistance	100.000 (Martindale)
Solidez del color _ color fastness to light	6
Resistencia al pilling _ pilling resistance	5
Limpieza _ cleaning	