



Talenti

OUTDOOR LIVING

ACCESSORIES



ACCESSORIES

Index

Jackie	P.	5
Zeus	P.	35
Athena	P.	43
Venere	P.	53
Marte	P.	61
Vulcano	P.	71
Apollo	P.	73
Fabric carpet	P.	83
Tribal	P.	97
Lantern	P.	105
Milo	P.	113
Tofee	P.	121
Scacco	P.	127
Wave	P.	133
Cart	P.	137
Ray	P.	145
Box	P.	151
Planter	P.	157
Upperalu	P.	167



#Jackiecollection





#Jackiecollection

small, medium & big pouf
dark grey colour












#Jackiecollection

small & big lamp
dove colour










#Jackiecollection

planter
white colour



#Jackiecollection

Finishing

Aluminium frame

A12

A14

I4

I5

white

graphite

white

graphite

Steel frame

Synthetic ropes

R15

R16

R17

R18

dove

light grey

dark grey

hunter green

Wood slats

L1

teak

BEAN BAG / CODE: JACBAG



KG

30,0

unit 1

1.08 mc

9%

0



LIVING ARMCHAIR / CODE: JACPL



KG


14,0

unit 2

0.54 mc

9%

0



POUF SMALL / CODE: JACPUFP



KG

5,0

unit 1

0.09 mc

9%

0



POUF MEDIUM / CODE: JACPUFM



KG

7,0

unit 1

0.09 mc

9%

0



POUF BIG / CODE: JACPUFG



KG

11,0

unit 1

0.28 mc

9%

0



LAMP SMALL / CODE: JACLAMPP

42

Ø 55



KG

7,0

unit 1

0.15 mc

0%

R15

R16

R17

LAMP BIG / CODE: JACLAMPG

60

Ø 70



KG

11,0

unit 1

0.33 mc

0%

R15


R16

R17

FLOOR LAMP / CODE: JACLAMPT

150

Ø 55



KG

16,0

unit 1

0.48 mc

0%

A12

R16


A14

R17

BASKET / CODE: JACBAK

30

Ø 55



KG

4,0

unit 1

0.11 mc

0%

R15

R16

R17

PLANTER / CODE: JACPLAN

120

40

90



KG

17,0

unit 1

0.48 mc

0%

A12

R16

L1

A14

R17

L1






#Parasolcollection
// Zeus



#Parasolcollection
// Zeus



#Parasolcollection

// Zeus

Finishing

Aluminium frame



anodized

Waterproof fabric canopy



white

Features



- 1-Telo 3x4 o 4x4 in tessuto da 250g in poliestere trattato in PU.
- 2-Optional: illuminazione a batteria ricaricabile.
- 3-Sistema di apertura retrattile che permette la chiusura parallela al palo. Apposite guide di scorrimento ne facilitano lo spostamento.
- 4-Sistema di apertura e chiusura del telo tramite manovella manuale removibile. Il palo girevole permette all'ombrellone di ruotare di 360°.
- Basamento in granito (180kg) con ruote.
- 5-Optional: illuminazione con impianto audio per collegamento dispositivi bluetooth.

- 1-Canopy 3x4 or 4x4 in 250g polyester with PU coating.
- 2-Optional: umbrella lights with rechargeable battery.
- 3-Retractable opening system allows umbrella closure parallel to the pole. Sliding guides make movements easier.
- 4-Canopy opening/closure with removable hand crank.
- Turning pole allows parasol a 360° rotation. Granite base (180kg) with wheels.
- 5-Optional: umbrella bluetooth speaker with led lights.

Specifiche:
Palo in alluminio 120x76 mm
7 Stecche in alluminio 20x35 mm
Telo UV80+
Altezza ombrellone 300 cm
Basamento granito 180 kg 80x80x10 cm
Restistenza al vento massima 39-49 km/h

Technical specifications:
Aluminium Pole 120x76 mm
No.7 alu ribs 20x35 mm
UV80+ Canopy
Parasol height 300 cm
Granite base 180 Kg 80x80x10 cm
Max. wind resistance 39-49 km/h

ZEUS 3x4 / CODE: PARZES-A

KG 228,0

unit 1+1+1+1
0.53 mc



300



•80x80•

P1

A10

ZEUS 4x4 / CODE: PARZES2-A

KG 240,0

unit 1+1+1+1
0.53 mc



300



•80x80•

P1

A10





#Parasolcollection
// Athena









#Parasolcollection

// Athena

Finishing



Features




- 1-Telo 3x4 in tessuto da 250g in poliestere trattato in PU.
- 2-Optional: illuminazione a batteria ricaricabile.
- 3-Sistema di apertura retrattile che permette la chiusura parallela al palo. Apposite guide di scorrimento ne facilitano lo spostamento.
- 4-Sistema di apertura e chiusura del telo tramite manovella manuale removibile. Il palo girevole permette all'ombrellone di ruotare di 360°.
- 5-Optional: illuminazione con impianto audio per collegamento dispositivi Bluetooth.
- 6-Basamento in acciaio di colore bianco o tortora. Per una stabilità ottimale si consiglia l'utilizzo di n. 10 piastre in graniglia 50x50x3,5cm (pesi non inclusi).

- 1-Canopy 3x4 in 250g polyester with PU coating.
- 2-Optional: umbrella lights with rechargeable battery.
- 3-Retractable opening system allows umbrella closure parallel to the pole. Sliding guides make movements easier.
- 4-Canopy opening/closure with removable hand crank. Turning pole allows parasol a 360° rotation.
- 5-Optional: umbrella Bluetooth speaker with led lights.
- 6-Steel base in white or dove colour. For a better stability we recommend you to use 10 grit plates 50x50x3,5cm (weights not included).

Specifiche:
Palo in alluminio 120x76 mm
7 Stecche in alluminio 20x35 mm
Altezza ombrellone 310 cm
Telo UV80+
Basamento in acciaio 55x133x20 cm
(Pesi non inclusi)
Resistenza al vento massima 39-49 km/h

Technical specifications:
Aluminium Pole 120x76 mm
No.7 alu ribs 20x35 mm
Parasol height 310 cm
UV80+ Canopy
Steel base 55x133x20 cm
(weights not included)
Max. wind resistance 39-49 km/h





#Parasolcollection
// Venere







#Parasolcollection

//Venere

Finishing

Aluminium frame



anodized

Waterproof fabric canopy



white

Features



- 1-Telo 3x3 in tessuto da 250g in poliestere trattato in PU.
- 2-Optional: illuminazione a batteria ricaricabile.
- 3-Sistema di apertura retrattile che permette la chiusura parallela al palo.
- Sistema di apertura e chiusura del telo tramite manovella manuale removibile.
- Inclinabile fino a 50° su ambedue i lati.
- Il palo girevole permette all'ombrellone di ruotare di 360°.
- 4-Basamento in granito (125 kg) con ruote.
- 5-Optional: illuminazione con impianto audio per collegamento dispositivi Bluetooth.

- 1-Canopy 3x3 in 250g polyester with PU coating.
- 2-Optional: umbrella lights with rechargeable battery.
- 3-Retractable opening system allows umbrella closure parallel to the pole.
- Canopy opening/closure with removable hand crank. Reclining up to 50° on both sides.
- Turning pole allows parasol a 360° rotation.
- 4-Granite base (125 kg) with wheels.
- 5-Optional: umbrella Bluetooth speaker with led lights.

Specifiche:
Palo in alluminio 90x65 mm
7 Stecche in alluminio 28x14 mm
Altezza ombrellone 280 cm
Telo UV80+
Basamento granito 125 kg 80x80x7 cm
Resistenza al vento massima 29-38 km/h

Technical specifications:
Aluminium Pole 90x65 mm
No.7 aluminium ribs 28x14 mm
Parasol height 280 cm
UV80+ Canopy
Granite base 125 Kg 80x80x8 cm
Max. wind resistance 29-38 km/h





#Parasolcollection
//Marte









#Parasolcollection
//Marte

Finishing



Features



- 1-Telo 3x3 in tessuto da 250g in poliestere trattato in PU.
- 2-Optional: illuminazione a batteria ricaricabile.
- 3-Sistema di apertura retrattile che permette la chiusura parallela al palo. Sistema di apertura e chiusura del telo tramite manovella manuale removibile.
- 4-Basamento in cemento (90 kg) con ruote, di colore bianco o mokka in tinta alla struttura. Il palo girevole permette all'ombrellone di ruotare di 360°.
- 5-Optional: illuminazione con impianto audio per collegamento dispositivi Bluetooth.

- 1-Canopy 3x3 in 250g polyester with PU coating.
- 2-Optional: umbrella lights with rechargeable battery.
- 3-Retractable opening system allows umbrella closure parallel to the pole. Canopy opening/closure with removable hand crank.
- 4-Concrete base (90kg) with wheels, available in white or mokka colour. Turning pole allows parasol a 360° rotation.
- 5-Optional: umbrella Bluetooth speaker with led lights.

Specifiche:
Palo in alluminio 80x65 mm
7 Stecche in alluminio 28x14 mm
Altezza ombrellone 290 cm
Telo UV80+
Basamento in cemento 90 kg 70x70x8 cm
Resistenza al vento massima 29-38 km/h

Technical specifications:
Aluminium Pole 80x65 mm
No.7 aluminium ribs 28x14 mm
Parasol height 290 cm
UV80+ Canopy
Concrete base 90 Kg70x70x8 cm
Max. wind resistance 29-38 km/h





#Parasolcollection
// Vulcano



#Parasolcollection

// Vulcano

Finishing

Aluminium frame



white

Waterproof fabric canopy



white

Features



1-Telo 3x3 in tessuto da 250g in poliestere trattato in PU.

2-Optional: illuminazione a batteria ricaricabile.

3-Sistema di apertura retrattile che permette la chiusura parallela al palo.
Sistema di apertura e chiusura del telo tramite manovella manuale removibile.
Inclinabile fino a 50° su ambedue i lati.

4-Basamento con crociera in acciaio colore bianco. Per una stabilità ottimale si consiglia l'utilizzo di n.4 piastre in graniglia 50x50x4cm (pesi non inclusi).

Il palo girevole permette all'ombrellone di ruotare di 360°.

5-Optional: illuminazione con impianto audio per collegamento dispositivi Bluetooth.

1-Canopy 3x3 in 250g polyester with PU coating.

2-Optional: umbrella lights with rechargeable battery.

3-Retractable opening system allows umbrella closure parallel to the pole.
Canopy opening/closure with removable hand crank. Reclining up to 50° on both sides.

4-Steel white cross base with 4 grit plates. For a better stability we recommend you to use 4 grit plates 50x50x4cm (weights not included).

Turning pole allows parasol a 360° rotation.

5-Optional: umbrella Bluetooth speaker with led lights.

Specifiche:

Palo in alluminio 80x60 mm

8 Stecche in alluminio 20x14 mm

Altezza ombrellone 280 cm

Telo UV80+

Basamento con 4 piastre in graniglia

50x50x4 cm (pesi non inclusi)

Restistenza al vento massima 29-38 km/h

Technical specifications:

Aluminium Pole 80x60 mm

No.8 aluminium ribs 20x14 mm

Parasol height 280 cm

UV80+ Canopy

Base with 4 grit plates in size

50x50x4 cm(Weights not included)

Max. wind resistance 29-38 km/h





#Parasolcollection
// Apollo





#Parasolcollection
// Apollo

Finishing

Aluminium frame




white



grahite

Waterproof fabric canopy




white



dark grey

Features



- 1 - Telo 2x2 in tessuto da 220g in poliestere trattato in PU.
- 2 - Sistema di apertura semplice ed intuitivo, spingere il tetto dell'ombrellone verso l'alto finché il meccanismo non si arresta.
- 3 - Puntale in alluminio cromato.
- 4 - Basamento in acciaio colore bianco da 40 kg.

- 1 - Canopy 2x2 in 250g polyester with PU coating.
- 2 - Easily parasol opening: push upwards the parasol roof until it locks.
- 3 - Chrome-plated alu tip.
- 4 - Steel white base 40 Kg.

Specifiche:
Palo in alluminio ø 38 mm
4 Stecche in alluminio ø 20 mm
Altezza ombrellone 245 cm
Telo UV80+
Basamento in acciaio 40 kg 50x50x2 cm
Restistenza al vento massima 30 km/h

Technical specifications:
Aluminium pole diam. 38 mm
Parasol height 250 cm
No. 4 aluminium ribs diam. 20 mm
UV80+ Canopy
Steel base 40 Kg 50x50x2 cm
Max. wind resistance 30 km/h



2



3



4



#Accessoriescollection
// Fabric Carpet





// Ribs



#Accessoriescollection

// Fabric Carpet

Finishing

Fabric quadro

F1

F2

F3

F7

F8

canvas

light grey

dark grey

red

dark green

Fabric ribs

F4

F5

F6

F9

canvas

light grey

dark grey

dark green

QUADRO 400x300 / CODE: TAPQ3




KG 48,0 | unit 1 0.32 mc | ☁️ 0%

QUADRO 300x200 / CODE: TAPQ1




KG 30,0 | unit 1 0.27 mc | ☁️ 0%

QUADRO 240x160 / CODE: TAPQ2




KG 15,0 | unit 1 0.18 mc | ☁️ 0%

RIBS 400x300 / CODE: TAPR3




KG 48,0 | unit 1 0.32 mc | ☁️ 0%

RIBS 300x200 / CODE: TAPR1



KG 30,0 | unit 1 0.27 mc | ☁️ 0%

RIBS 240x160 / CODE: TAPR2




KG 15,0 | unit 1 0.18 mc | ☁️ 0%



#Tribalcollection

// Lamp

Design Ludovica + Roberto Palomba







#Tribalcollection

// Lamp

Finishing

aluminium frame

A5

A6

A7

A13

A14

yellow

teal green

red

dove

graphite

Synthetic rope

R10

R19

R21

R22

R23

dark grey

yellow

red

sand

teal green

TRIBAL BIG / CODE: TRIB01

KG

11,0

unit 1

0.76 mc

☁

0%

💡

175

60

R19

A5

R23

A6

R21

A7

R22

A13

R10

A14

TRIBAL MEDIUM / CODE: TRIB02

KG

4,0

unit 1

0.23 mc

☁

0%

💡

85

45

R19

A5

R23

A6

R21

A7

R22

A13

R10

A14

TRIBAL SMALL / CODE: TRIB03

KG

2,5

unit 1

0.13 mc

☁

0%

💡

45

45

R19

A5

R23

A6

R21

A7

R22

A13

R10

A14

TRIBAL CELIN / CODE: TRIB04

KG

3,0

unit 1

0.19 mc

☁

0%

💡

71

45

R19

A5

R23

A6

R21

A7

R22

A13

R10

A14

102

103



#Cleocollection
// Lamp
Design Marco Acerbis








#Cleo collection

// Lamp

Finishing

aluminium frame



white





dove



graphite


LANTERN / CODE: CLEL01



A12



A13



A14



#Milocollection
// Lamp
Design Marco Acerbis







#Milo

collection

// Lamp

Finishing

stainless steel frame



white



graphite

FLOOR LAMP 01 / CODE: MLOL01



60



•ø37•



FLOOR LAMP 02 / CODE: MLOL02



100



•ø33•



FLOOR LAMP 03 / CODE: MLOL03



150



•ø45•





#Tofeecollection
// Lamp





#Tofeecollection

// Lamp

Finishing

aluminium frame



white



graphite

TOFEE / CODE: TOF01




1,0



unit 1
0.02 mc



• 11 •





#Scaccocollection

// Paravento

Design Ludovica + Roberto Palomba





#Scaccocollection

// Paravento

Finishing

aluminium frame



beige



graphite

Synthetic rope





dark grey





beige

PARTITION H135 / CODE: SCAPAR135



PARTITION H200 / CODE: SCAPAR200





#Accessoriescollection
// Wave



#Accessoriescollection

//Wave

Aluminium frame




white



graphite

WAVE SHOWER / CODE: DCCWAV



22.0




unit 1+1

0.17 mc



A12



A14



#Accessoriescollection
// Cart







#Accessoriescollection

// Cart

Finishing

Aluminium frame

A12

A13

A14

white

dove

graphite

Wood slats

L1

teak

CART / CODE: ACCCAR

KG 14,0

unit 1
0.09 mc

9%



L1

A12

L1

A13

L1

A14



#Accessoriescollection
// Ray





#Accessoriescollection

// Ray

Aluminium frame



charcoal



graphite



dove


SMALL SERVING TABLE / CODE: RAYVP



45



60 60




BIG SERVING TABLE / CODE: RAYVG



73



60 60





#Accessoriescollection
// Box





#Accessoriescollection

// Box

Aluminium frame

A12

A13

A14

white

dove

graphite

Textilene covering

T1

T2

T3

white

dove

silver black

BOX / CODE: BOXAL01



KG

15,0

unit 1

0.58 mc

0%

A12

T1

A13

T2

A14

T3



#Accessoriescollection
// Planter
Design Roberto Serio







#Accessoriescollection

// Planter

Finishing


Steel frame

M1

M2

white graphite

PLANTER / CODE: ACCFIO



KG

16,0


unit 1

0.19 mc

0%



BIOETHANOL FIREPLACE / CODE: ACCCAM




KG

20,0


unit 1

0.20 mc

0%



STONE PLANTER / CODE: ACCFIOSTO




KG

22,0


unit 1

0.21 mc

0%



PLANTER OLIVE DECORATE / CODE: ACCDEC1




KG

30,0


unit 1+1

0.48 mc

0%



PLANTER AGAVE DECORATE / CODE: ACCDEC2




KG

30,0

unit 1+1

0.48 mc

0%





#Accessoriescollection
// Upperalu





#Accessoriescollection

// Upperalu

Aluminium frame

A12

A13

A14

white

dove


graphite

Textilene canopy

T1

white

SHADING 3X4 H235 / CODE: UPPA01



KG

50,0

unit 1+1+1+1

0.39 mc

9%

A12

T1


A13

T1

A14

T1

SHADING 3X3 H235 / CODE: UPPA02



KG

45,0

unit 1+1+1

0.32 mc

9%

A12

T1

A13

T1

A14

T1

Materials

Alluminio / Aluminium



Teal green



Charcoal



Silver



Bianco
White



Tortora
Dove colour

Alluminio / Aluminium



Grafite
Graphite



Mokka



Beige



Bianco
White



Grafite
Graphite

Acciaio / Steel

Alluminio: Grazie alla fusione di più leghe di alluminio che ne garantiscono solidità, maneggevolezza ed inattaccabilità alla ruggine, è un materiale di elavata qualità e permette di raggiungere i massimi risultati qualitativi ed estetici.

Inox: L'acciaio inossidabile è un materiale che, grazie alla sua alta resistenza alla corrosione e alle caratteristiche meccaniche di rilievo, risulta maggiormente duraturo e affidabile nel tempo.

Acciaio: Lega di ferro e carbonio con percentuale di carbonio inferiore al 2% trattata per resistere agli agenti atmosferici con il processo della cataforesi e verniciatura a polvere.

Manutenzione: Per mantenere a lungo il prodotto in buone condizioni, consigliamo una corretta pulizia periodica, particolarmente frequente in località caratterizzate da forte umidità e clima marino. Si raccomanda di pulire le superci con un panno morbido utilizzando acqua o detergenti neutri. Prolungate ed ininterrotte esposizioni a intense radiazioni UV o a temperature molto rigide possono incidere sulle caratteristiche iniziali del rivestimento estetico colorato costituito da poliestere. Consigliamo di pulire e conservare in luoghi riparati i prodotti durante periodi d'inutilizzo prolungato e invernali.

Aluminum: Thanks to the fusion of several aluminum alloys that guarantee solidity, manageability and rust resistance, it is a material of high quality and allows to reach the maximum qualitative and aesthetic results.

Inox: Stainless steel is a material that, thanks to its high resistance to corrosion and to the mechanical characteristics of relief, is more durable and reliable over time.

Steel: Iron and carbon alloy with carbon percentage less than 2% treated to resist to the atmospheric agents with the cathaphoresis process and powder coating.

Maintenance: To keep the product in good condition for a long time, we recommend a regular cleaning period, particularly frequent in places characterized by high humidity and marine climate. We recommend cleaning the surfaces with a soft cloth using water or neutral detergents. Prolonged and uninterrupted exposures to intense UV radiation or at very low temperatures can affect the initial characteristics of the colored polyester coating. We recommend cleaning and storing products in sheltered areas during long periods of non-use and winter.

Materials

Corde sintetiche / Synthetic ropes



Grigio scuro
Dark grey



Tortora
Dove



Grigio chiaro
Light grey



Grigio scuro
Dark grey



Verde militare
Hunter green



Sabbia
Sand



Verde petrolio
Teal green

Doppia treccia costruita con anima in poliestere e copertura in propilene multi filamento. La fibra esterna di cui è composta è impermeabile e resistente ai raggi UV.

Si raccomanda di pulire con prodotto neutro e panno non abrasivo.

Double braid made with polyester core and multi-filament propylene cover. The external fiber is waterproof and resistant to UV rays.

It is recommended to clean with a neutral product and a non-abrasive cloth.

Materials

Legni / Wood



Teak

Teak: Materiale di elevata qualità ideale per la realizzazione di mobili da esterno perché estremamente resistente ai cambiamenti di temperatura, all'acqua, all'umidità e alla salsedine.

Trattandosi di un materiale naturale si potrebbero osservare variazioni di colore o anche crepe dovute al grado di umidità ed ai bruschi cambiamenti di temperatura. Qualora non ricevesse alcun trattamento di manutenzione, mediante l'applicazione periodica di comuni e specifici protettivi a base olio, la superficie potrebbe prendere una patina grigio argento che potrà essere eliminata con una leggera carteggiatura superficiale e successiva lucidatura con panno di iuta. Piccole macchie superficiali dovute ad olio o altri prodotti alimentari dovranno essere rimosse tempestivamente, prima che il legno possa assorbirle in profondità, carteggiando la superficie interessata e lucidandola successivamente con un panno di iuta.

Teak: High quality material suitable for outdoor furniture because it is extremely resistant to changes in temperature, water, humidity and saltiness.

Being a natural material, colour variations or even cracks due to the degree of humidity and sudden changes in temperature may be observed. If no maintenance treatment is received, through the periodic application of common and specific protective oil-based, the surface may take a silver-gray patina that can be easily removed with a light surface sanding down and subsequent polishing with a jute cloth. Small superficial stains due to oil or other food products must be removed promptly, before the wood can absorb them in depth, sanding down the affected surface and then polishing it with a jute cloth.

Materials

Tappeti / Carpet



Canvas



Grigio chiaro
Light grey



Grigio scuro
Dark grey



Rosso
Red



Verde scuro
Dark green



Canvas



Grigio chiaro
Light grey



Grigio scuro
Dark grey



Verde scuro
Dark green

I tappeti sono realizzati in filato di fibra sintetica, hanno un trattamento idrorepellente, antimacchia e antimuffa. Il filato in PP ha una resa ottimale in ambienti esterni, per durata e resistenza agli agenti atmosferici ed ha un elevata stabilità ai raggi UV.

Manutenzione quotidiana: aspirapolvere senza spazzole.
Manutenzione periodica: lavaggio a secco o pulizia a vapore.
Macchie: tamponare con un panno pulito; agire con detersivi specifici seguendo attentamente le istruzioni del produttore.

All the carpets are made of synthetic fabric and through a special treatment they are waterproof, stain-resistant and anti-bacterial. The PP yarn ensures an excellent performance in terms long-lasting durability, weather and UV rays resistance.

Daily cleaning: vacuum cleaner without brushes.
Deeper cleaning: professional dry cleaning or steam cleaning.
Stains: pat the area with a clean cloth; use specific detergents following the manufacturer's instructions.

Materials

Tessuto 100% pl, idrorepellente / 100% pl fabric, water repellent



Bianco
White



Grigio scuro
Dark grey



Tortora
Dove

Il poliestere è un materiale adatto all'arredo esterno perchè semplice da pulire, trattare e lavare. Ha elevate caratteristiche meccaniche: resiste alla rottura, alla luce, all'abrasione, non si deforma in modo permanente ed ha un ottimo recupero elastico. È idrorepellente, quindi perfetto se installato vicino ad un bordo piscina o se esposto a situazioni climatiche avverse.

Prima di chiudere l'ombrellone è importante assicurarsi che il telo sia perfettamente asciutto. Durante i mesi di non utilizzo l'ombrellone deve essere riposto in un ambiente asciutto e protetto dalla relativa cover. Evitare il contatto prolungato con sostanze grasse e/o coloranti che potrebbero venire assorbite dal materiale di rivestimento e dare luogo a macchie permanenti, oltre che deteriorare la struttura del filato. Non usare solventi. Utilizzare acqua e detergenti liquidi non abrasivi con PH neutro e incolori. Eventualmente lasciare agire il detergente alcuni minuti. Sciacquare abbondantemente con acqua a temperatura non superiore a 30°C.

Polyester is a material suitable for outdoor furniture because it is easy to clean, treat and wash. It has high flexural strenght characteristics: it resists breakage, light, abrasion, does not deform permanently and has an excellent elastic shape recovery. It is water repellent, therefore perfect if installed near swimming pool areas or if exposed to adverse weather conditions.

Before closing the parasol it is important to make sure that the cloth is perfectly dry. During the months of not using the umbrella must be stored in a dry place and protected by the appropriate cover. Avoid prolonged contact with greasy substances which could be absorbed by the coating material and give rise to permanent stains, as well as deteriorating the yarn structure. Do not use solvents. Use water and non-abrasive liquid detergents with neutral PH and colourless. If necessary, allow the detergent to act for a few minutes. Rinse with water at a temperature not exceeding 30 ° C.

Materials

Textilene



Bianco
White



Tortora
Dove



Silver black

Il Textilene è una fibra di poliestere protetta da un rivestimento in PVC. Le fibre vengono poi legate insieme in modo da ottenere una sostanza fibrosa particolarmente solida è permanente, resistente allo stiramento ed immune da strappi. La caratteristica più importante è la sua elasticità, offre un'eccellente resistenza alle muffe e alle macchie, e presenta un trattamento superficiale contro la degradazione UV.


Il textilene può essere pulito semplicemente con un panno di spugna con acqua saponata. Abrasivi e solventi devono essere assolutamente evitati! Si asciuga molto rapidamente a causa della loro struttura aperta.

Textilene is a polyester fiber protected by a PVC coating. The fibers are bonded together so in order to obtain a particularly solid fibrous material which is durable, resistant to stretching and wear resistant too. The most important characteristic is its elasticity, offers excellent resistance to inhibits mold and stains, and has a surface treatment against UV degradation.

Textilene can simply be cleaned with a sponge cloth with soapy water. Abrasives and solvents must absolutely be avoided! It dries very quickly due to their open structure.

Technical information

Legenda / Legend




Peso netto KG
Net weight KG




Unità per imballo
Unit for box




Resistente alle intemperie
Weather-resistant




Impilabile
Stackable



Pieghevole
Folding



Imbottitura in dry foam
Quick dry foam padding



Articolo da assemblare
To assemble



Provisto di illuminazione
With lighting system

Per ogni articolo sono indicate caratteristiche, dimensioni, peso, numero dei pezzi nell'imballo, materiali e colori.

For each item are provided features, sizes, weight, packaging, material, available colours.

CONDIZIONI GENERALI DI VENDITA

- 1. I colori, disegni e misure dei prodotti presenti nel catalogo sono indicativi. La Talenti srl ha facoltà di eliminare o modificare i modelli delle proprie collezioni senza alcun preavviso.
- 2. I prezzi dei modelli standard sono espressi nello specifico listino prezzi fornito dall'azienda. Per quanto riguarda gli articoli su misura il preventivo verrà tempestivamente fornito dalla Talenti dietro richiesta del cliente.
- 3. L'acquirente è tenuto a controllare sempre la merce e ad indicare nel DDT la data di ricevimento, la persona che la riceve ed il timbro della ditta, nonché le eventuali anomalie nel materiale.
- Talenti srl accetterà esclusivamente reclami presentati entro 5 (cinque) giorni dal ricevimento della merce.
- 4. La Talenti srl con la consegna al vettore in nessun caso risponde dei rischi a cui la merce è sottoposta durante il trasporto. Quindi eventuali ammanchi, rotture, deterioramenti o manomissioni sono a totale carico dell'acquirente.
- 5. Gli ordini dovranno essere fatti per scritto utilizzando i codici, descrizioni e prezzo come da catalogo e listini prezzi relativi.
- 6. Per ogni controversia è competente il foro di Terni (Italia).

INFORMATIVA AI SENSI ART.13 D. Lgs. n. 196/03

"Codice in materia di protezione dei dati personali"

Il trattamento dei dati personali si svolge nel rispetto dei diritti e delle libertà fondamentali, con particolare riferimento alla riservatezza e al diritto alla protezione.

Il trattamento viene effettuato per adempiere ad obblighi amministrativo-contabili e fiscali e per l'esecuzione degli obblighi contrattuali.

I Vs. dati possono essere comunicati, oltre che a tutti gli incaricati del trattamento all'interno dell'azienda, a consulenti amministrativi, contabili e legali, ad Istituti Bancari.

Titolare del trattamento è TALENTI SRL avente sede legale in Strada Amerina km 4,5, 05022 - Amelia (Tr) - Italy

Al Titolare del trattamento ci si potrà rivolgere per far valere i diritti previsti dall'art. 7 del D.Lgs 196/03.

GENERAL CONDITIONS OF SALE

- 1. The colours, drawings and sizes of the products in this catalogue are approximate. Talenti srl reserves the right to discontinue or change the models in its collections at any time without advance notice.
- 2. The prices of the standard models are expressed in the specific price list that Talenti srl will provide. Concerning customized items the offer will be immediately made and provided by Talenti srl on request of the customer.
- 3. The purchaser is always required to inspect the goods and indicate on the transport document the date of receipt, the person who received it and the company's stamp, as well as any anomalies found in the material. Talenti srl will not accept any claims presented more than 5 (five) days after receipt of the goods.
- 4. Once Talenti srl has delivered products to the carrier, it is no longer responsible for risks these are subject to during transport. The purchaser is thus totally responsible for any missing pieces, breakage, deterioration or tampering.
- 5. Orders must be in writing using the codes, descriptions and prices shown in the catalogue and price lists.
- 6. The Court of Terni (Italy) will be exclusively competent for any disagreements.

NOTICE UNDER DL 196/2003, THE PRIVACY LAW

Your personal information will be handled with respect for your rights and fundamental liberties and with particular reference to confidentiality and the right of protection.

Your information will be handled to fulfil our administrative, accounting and tax obligations and to fulfil our contractual obligations. In addition to the company's employees assigned to handle your information internally, it may also be communicated to administrative, accounting and legal consultants and to banks.

The owner of the information for handling purposes is Talenti Srl, which is located at Strada Amerina km 4,5, 05022 - Amelia (Tr) - Italy

You may contact the owner to assert your rights under article 7 of DL 196/2003.

© 2019/2020 - Talenti S.r.l. - Prima edizione
Tutti i diritti riservati - All rights reserved

GRAPHIC DESIGN CONCEPT:
Studio Palomba Serafini Associati
Talentì Technical Department

GRAPHIC DESIGN EDITING:
Talentì Technical Department

PHOTOS:
Giordano Mocchegiani
Roberto Sacchini
Daniele Ricciarelli per Rplus
Gruppo Bento

DECOR:
Francesca Conti
Silvia Garattoni
Talentì Technical Department

POST PRODUCTION:
Studio 59

COPYWRITING:
Talentì S.r.l.

PRINT:
Sincromia srl

Talentì S.r.l.
Strada Amerina km 4,5
05022 - Amelia (Tr) - Italy
customerservice@talentisrl.com
www.talentisrl.com